Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	44001	(first near light near source) or incandescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 13:54
S2	476464	(second near light near source) or ((light near emit\$6 near diod\$4) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 15:08
S3	16557	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 13:56
S4	743	S1 and S2 and socket and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 14:47
S5	627	S4 and ("AC" or main or conventional)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 14:47
S6	15047	362/20,800,802-809,84,95,145-150, 184,183,194,195,216,230,231,233, 234,236,238,240,244,245,246,253, 276,310,326,327,350,363,394,395, 404,410,414,431,435.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:54
S7	136	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 14:28
\$8	491	S5 not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 14:28
S9	11967	(incandescent or fluorescent) with ((light near emit\$6 near diod\$4) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR .	ON	2004/12/27 15:46
S10	37616	(incandescent or fluorescent) and ((light near emit\$6 near diod\$4) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 14:46

S11	37616	S9 or S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 14:46
S12	983	S11 and socket and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 14:47
S13	871	S12 and ("AC" or main or conventional)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 14:47
S14	284	S13 not S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 15:07
S15	18	S14 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 14:48
S16	470881	((light near emit\$6 near diod\$4) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 15:08
S17	35	362/293.ccls. and 362/800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 15:10
S18	1384	362/293.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 15:10
S19	62	362/293.ccls. and incandescent and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 15:17
S20	4	(("4013886") or ("6756893") or ("4346329") or ("4947291")).PN.	USPAT	OR	OFF	2004/12/27 15:18
S21	12	("2342639"   "4195281"   "5216328"   "5491383"   "5680098"   "5685637"   "5921660"   "5955945"   "6281631"   "6338647"   "6417624").PN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2004/12/27 15:18
S22	0	("6756893").URPN.	USPAT	NEAR	ON	2004/12/27 15:20

S23	8	("3936147"   "4202601"   "4517628"   "4580196"   "4623959"   "4677533"   "4697890"   "4722028").PN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2004/12/27 15:20
S24	44	("4947291").URPN.	USPAT	NEAR	ON	2004/12/27 15:44
S25	13553	(lamp or light) near (socket or base)	USPAT	NEAR	ON	2004/12/27 15:46
S26	37616	(incandescent or fluorescent) and ((light near emit\$6 near diod\$4) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 15:47
S27	525	((incandescent or fluorescent) and ((light near emit\$6 near diod\$4) or LED)) with (socket or base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 15:48
S28	147	S27 and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 15:48
S29	2	362/228.ccls. and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 16:01
S30	27	362/228.ccls. and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/27 16:01
S31	60	(bulb socket) and adapter and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 14:29
S32	471838	(light near emit\$6 near diod\$3) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:13
S33	65	(bulb socket) and adapter and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:14
S34	350	439/699.2,628.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:15

			·		· -	
S35	26	439/699.2,628.ccls. and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:15
S36	60	bulb and (bulb socket) and adapter and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:17
S37	60	bulb and (bulb near socket) and adapter and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:17
S38	5	("2191336"   "2503677"   "5171292").PN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2004/12/30 13:19
S39	6	("5380214").URPN.	USPAT	NEAR	ON	2004/12/30 13:20
S40	1493	(incandescent near bulb) and S32	USPAT	NEAR	ON	2004/12/30 13:21
S41	105	(incandescent near bulb) and S32 and adapter	USPAT	NEAR	ON	2004/12/30 13:21
S42	49	(incandescent near bulb) and S32 and adapter and socket	USPAT	NEAR	ON .	2004/12/30 13:23
S43	76	(incandescent near bulb) and S32 and adapter and battery	USPAT	NEAR	ON	2004/12/30 13:23
S44	10	(bulb socket) and (adapter with batter\$4) and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:30
S45	1213	adapter with batter\$4 and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:30
S46	1213	(adapter with batter\$4) and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:31
S47	76	(adapter with batter\$4) with LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:34
S48	4102	bulb near socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:35

			·	т		
S49	375	S48 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:35
S50	175	S48 and S32 and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:35
S51	1357	(incandescent near bulb) with S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:39
S52	19	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:39
S53	1625	(incandescent near bulb) same S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:39
S54	22	S50 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 13:42
S55	1	("5380214").PN.	USPAT	OR	OFF	2004/12/30 13:42
S56	5	("2191336"   "2503677"   "5171292").PN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2004/12/30 13:42
S57	, 6	("5380214").URPN.	USPAT	NEAR	ON -	2004/12/30 13:43
S58	6	("5380214").URPN.	USPAT	NEAR	ON	2004/12/30 13:46
S59	13	"340"/\$.ccls. and (incandescent near bulb) and adapter and S32 and batter\$4	USPAT	NEAR	ON	2004/12/30 13:48
S60	. 13	"340"/\$.ccls. and (incandescent near bulb) and adapter and S32 and (batter\$4 or (back near up near power))	USPAT	NEAR ·	ON	2004/12/30 13:50
S61	0	"340"/\$.ccls. and (incandescent near bulb) and adapter and S32 and (back near up near power)	USPAT	NEAR	ON	.2004/12/30 13:50
S62	0	"340"/\$.ccls. and (incandescent near bulb) and adapter and S32 and (back near up near power)	USPAT	NEAR	ON	2004/12/30 13:51
S63	1	(incandescent near bulb) and adapter and S32 and (back near up near power)	USPAT	NEAR	ON	2004/12/30 13:53

			<b>Y</b>	,		T
S64	1009	batter\$4 with (back near up near power)	USPAT	NEAR	ON	2004/12/30 13:52
S65	1	(incandescent near bulb) and adapter and S32 and S64	USPAT	NEAR	ON	2004/12/30 13:52
S66	16	(incandescent near bulb) and S32 and (back near up near power)	USPAT	NEAR	ON	2004/12/30 13:53
S67	0	S33 and 362/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 14:25
S68	. 47	S33 and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 14:26
S69	600	S32 and (incandescent near (lamp or bulb)) and (socket or adapter) and (batter\$4 or back near up near power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 14:35
S70	11	S32 and (incandescent near (lamp or bulb)) and (socket or adapter) and (batter\$4 with (back near up near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 14:40
S71	1	("6400104").PN.	USPAT	OR	OFF	2004/12/30 14:43
S72	2	(("6400104") or ("5121287")).PN.	USPAT	OR	OFF	2004/12/30 14:44
S73	3	(("6400104") or ("5121287") or ("6227679")).PN.	USPAT	OR	OFF	2004/12/30 14:45
S74	4	(("6400104") or ("5121287") or ("6227679") or ("6168282")).PN.	USPAT	OR	OFF	2004/12/30 14:46
S75	24	"0191396"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 14:48
S76	1	("0191396").PN.	USPAT	OR	OFF	2004/12/30 14:49
S77	4	reiff-paul-j.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 15:01
S78		362/228.ccls. and 362/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 15:02

S79	111	315/92.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/12/30 15:03
S80	5	315/92.ccls. and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON ·	2005/01/01 12:28
S81	497	(back near power) with battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:32
S82	311	lamp adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR /	ON	2005/01/01 12:42
S83	0	S81 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:30
S84	79	bulb near adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:31
S85	1630	(bulb or socket) near adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:42
S86	0	S81 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON ·	2005/01/01 12:31
S87	1940	((back near up) near power) with battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:43
S88	0	S87 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2005/01/01 12:33
S89	191	S87 and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:33

S90	154	CO7 and adapter	He popula	NEAD	ON	2005/04/04 40:40
290	154	S87 and adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:49
S91	311	lamp adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:42
S92	1630	(bulb or socket) near adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:45
S93	1940	((back near up) near power) with battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:44
S94	20	S91 and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:46
S95	0	S91 and (backup power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON '	2005/01/01 12:47
S96	3	S92 and (backup power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:47
S97.	1940	((back near up) near power) with battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:49
S98	154	S97 and adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 12:49
S99	5	((bulb or socket) near adapter) and ((back near up) near power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON .	2005/01/01 12:58
S10 0	228	((bulb or socket) near adapter) and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:00

			_			
S10 1	47	((bulb or socket) near adapter) and batter\$4 and (("AC" or main or convetional or "110Volt") power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 13:13
S10 2	1	("6710553").PN.	USPAT	OR	OFF	2005/01/01 13:11
S10 3	57	((bulb or socket) near adapter) and (batter\$4 or capacitor) and (("AC" or main or convetional or "110Volt") power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 13:15
S10 4	10	S103 not S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 13:14
S10 5	0	("2003/0197807").URPN.	USPAT	NEAR	ON	2005/01/01 13:18
S10 6	0	("2003/0184242").URPN.	USPAT	NEAR	ON	2005/01/01 13:18
S10 7	0	("2002/0180367").URPN.	USPAT	NEAR	ON	2005/01/01 13:19
S10 8	1	("6710553").PN.	USPAT	OR	OFF	2005/01/01 13:20
·S10	1	("5303124").PN.	USPAT	OR	OFF	2005/01/01 13:20
S11 0	0	("2003/0197477").URPN.	USPAT .	NEAR	ON	2005/01/01 13:55
S11 1	7	medium base socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 14:58
S11 2	3379	(battery or capacitor) with backup power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 14:59
S11 3	3379	(battery or capacitor) with (backup power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 14:59
S11 4	2	((bulb or socket) near adapter) and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:01

S11 5	247	362/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	NEAR	ON	2005/01/01 15:01
S11 6	6868	black light	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:33
S11 7	23	(black light) and (lamp with cover with ((light transmit\$6) or clear or transparent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:52
S11 8	277	(black light) and (lamp with ((light transmit\$6) or clear or transparent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:41
S11 9	35	(black light) with (lamp with ((light transmit\$6) or clear or transparent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:42
S12 0	10	(black light) with (lamp cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:51
S12 1	10	(black light) same (lamp cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:43
S12 2	2494	(black light) and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:43
S12 3	1138	(black light) with lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:44
S12 4	64	(black light) with (incandescent lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:45
S12 5	. 18	(black light) with (incandescent bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:46

						•
S12 6	64	(black light) with (incandescent lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:47
S12 7	237	(black light) and (incandescent lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:47
S12 8	108	(black light) and (incandescent lamp) and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:47
S12 9	1	(black light) with (lamp with cover with ((light transmit\$6) or clear or transparent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:53
S13 0	1	("5227767").PN.	USPAT	OR	OFF	2005/01/01 15:55
S13 1	1	("6227679").PN.	USPAT	OR	OFF	2005/01/01 15:56
S13 2	. 0	("blacklight").PN.	USPAT	OR	OFF	2005/01/01 15:56
S13 3	596	blacklight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 15:56
S13 4	0	blacklight and (lamp cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON ,	2005/01/01 15:57
S13 5	27	(black light) and (lamp cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/01 16:01
S13 6	14	(black light) and ((lamp cover) with (fluorescen\$\$ or phosphoresce\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR .	ON	2005/01/02 11:36
S13 7	27	(black light) and (lamp cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 11:46

		Y				
S13 8	114	((black or ultraviolet) light) and (lamp cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 11:40
S13 9	26	((black or ultraviolet) light) and ((lamp cover) with (phosphorescent or fluorescent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 15:01
S14 0	2613	(black light) and (fluorescent or phosphorescent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 12:16
S14 1	118	S140 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 11:48
S14 2	62	S140 and "362"/\$.ccls. and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 11:49
S14 3	125	(black light) and ((fluorescent or phosphorescent) with cover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 11:58
S14 4	14	S143 and "362"/\$.ccls. and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 11:49
S14 5	0	("2003/0048637").URPN.	USPAT	NEAR	ON	2005/01/02 11:58
S14 6	104	S141 not S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 12:16
S14 7	18	("1348816"   "1735815"   "2167660"   "2168223"   "2269325"   "2317162"   "2365447"   "2798147"   "3399477").PN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2005/01/02 12:45
S14 8	2	("5309658").URPN.	USPAT	NEAR	ON	2005/01/02 12:46
S14 9	0	("2004/0252499").URPN.	USPAT	NEAR	ON	2005/01/02 13:16
S15 0	746	(backup power) and batter\$4 and recharg\$6	USPAT	NEAR	ON	2005/01/02 13:17

S15 1	0	((backup power) and batter\$4 and recharg\$6) with (lamp adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 13:19
S15 2	31	((backup power) and batter\$4) with (lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 13:20
S15 3	22	((backup power) with batter\$4) with (lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 13:40
S15 4	0	((backup power) with batter\$4) with (lamp adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 13:21
S15 5	0	((backup power) with batter\$4) with lamp with socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 13:41
S15 6	11	((backup power) with batter\$4) with socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 13:43
S15 7	. 22	((backup power) with batter\$4) with adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 13:44
S15 8	. 1	((backup power) with batter\$4) and ("AC" power) and (lamp socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/01/02 13:46
S15 9	60	((backup power) with batter\$4) and ("AC" power) and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2005/01/02 13:49
S16 0	5	("4694281"   "4943712"   "5015994"   "5146209"   "5293097").PN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2005/01/02 13:50
S16 1	20	("5349330").URPN.	USPAT	NEAR	ON	2005/01/02 14:00

				,	,	T
S16 2	611	((black or ultraviolet) light) (lamp or bulb) and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 15:03
S16 3	254	((black light) (lamp or bulb)) and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 15:09
S16 4	2291	(black light) and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 15:10
S16 5	135	(black light) with cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/01/02 15:10
S16 6	. 2	JP-11283415-\$.DID.	JPO; DERWENT	NEAR	ON	2005/01/04 13:53
S16 7	18001	362/20,800,802-809,84,95,145-150, 184,183,194,195,216,230,231,233, 234,236,238,240,244,245,246,253, 276,310,326,327,350,363,394,395, 404,410,414,431,435.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:54
S16 8	48	362/293.ccls. and 362/800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:54
S16 9	1555	362/293.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:54
S17 0	57795	(first near light near source) or incandescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:54
S17 1	22380	(incandescent or fluorescent) with ((light near emit\$6 near diod\$4) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:55
S17 2	64410	(incandescent or fluorescent) and ((light near emit\$6 near diod\$4) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:55

S17 3	644730	((light near emit\$6 near diod\$4) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:55
S17 4	6	362/228.ccls. and 362/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:56
S17 5	396	439/699.2,628.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:56
S17 6	276	362/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:57
S17 7	6	362/228.ccls. and 362/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 09:07
S17 9	2532	S172 and S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 08:58
S18 0	83	S176 and S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/14 09:07

9/14/2007 9:09:00 AM C:\Documents and Settings\hsawhney\My Documents\EAST\Workspaces\10541097 Lighting Device.wsp

Page 15

PALM Intranet	P	Δ	L	N	ħ	l	n	t	r	а	n	e	1
---------------	---	---	---	---	---	---	---	---	---	---	---	---	---

Application	. [	Submit
Number	<u> </u>	- Cubilit

IDS Flag Clearance for Application 10541097

IDS Information

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
WIDS	2007-07-23	25	Y	2007-09-14 08:37:18.0	hsawhney
WIDS	2005-06-28	23	Y	2007-06-14 08:01:54.0	CR #235743
WIDS	2007-02-22	21	Y	2007-09-14 08:46:49.0	hsawhney
WIDS	2006-01-30	12	Y 🗹	2007-09-14 08:48:29.0	HSawhney
Update				<del></del>	

S